



## C-Splash 2

### BCP468 18xLED-HB/RGB 24V IP68 22 BRS

Red, green and blue - 22° - Medium beam angle 22° - Brass

C-Splash 2 is an ultra-thin, submersible fixture designed to provide vibrant color and color-changing light in fresh and saltwater locations to a depth of 4.6 m (15 ft). With its watertight cast brass housing and silicon bronze adjusting hardware, C-Splash 2 is perfect for water-based applications such as fountains and theme park installations, as well as for applications situated in harsh environments.

#### Product data

General Information	
Number of light sources	18 pcs
Lamp family code	LED-HB [ LED High Brightness]
Light source color	Red, green and blue
Light source replaceable	No
Driver/power unit/transformer	Power supply unit
Driver included	Yes
Luminaire light beam spread	22°
Protection class IEC	Safety class III
CE mark	CE mark
Lifetime to 50% luminous flux	50000 h
Optic type outdoor	Medium beam angle 22°
Operating and Electrical	
Input Voltage	24 V
Input Frequency	0 Hz
Controls and Dimming	
Dimmable	No


Mechanical and Housing	
Color	Brass
Approval and Application	
Ingress protection code	IP68 [ Dust penetration-protected, pressure watertight]
Initial Performance (IEC Compliant)	
Initial luminous flux (system flux)	515 lm
Initial LED luminaire efficacy	23.3 lm/W
Initial input power	31.3 W
Over Time Performance (IEC Compliant)	
Lumen Maintenance 50% at 50°C Reported	50000
Application Conditions	
Ambient temperature range	-40 to +50 °C
Product Data	
Full product code	871794370184100

#### C-Splash 2

Order product name	BCP468 18xLED-HB/RGB 24V IP68 22 BRS
EAN/UPC - Product	8717943701841
Order code	910503700616
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1

Material Nr. (12NC)	910503700616
Net Weight (Piece)	10.000 kg

#### Dimensional drawing



C-Splash

